

COOLITE


Operable Louvre

**AUSTRAL
MONSOON**
ASSA ABLOY

The Future of Ventilation



FRONT ELEVATION



SECTIONAL ELEVATION

Austral Monsoon COOLITE Operable Louvre is a **cost-effective system delivering high airflow** when open and a sleek, weather-resistant finish when closed, featuring a galvabond RHS frame with cladding and nylon pivot system for reliable performance.



Characteristics

- Operable metal sheeting louvre system
- Corrugated blade
- Compatible with automation and weather sensors
- Frame Depth: 100mm
- Blade Height: 350-450mm
- Maximum span: 2400mm
- Free Open Area: 85% (when fully opened)



Applications

- Ideal for projects requiring a functional and cost effective operable louvre providing high levels of ventilation and natural light , including:
 - Economical factories and warehouses
 - Sports halls
 - Pool enclosures etc.



Customisation Options

- Frame Construction
 - Standard: Folded zincanneal sheet
 - Optional: Zinalume or galvabond sheet
- Blade Cladding
 - Standard: Same with wall cladding
 - Optional: Translucent or clear acrylic
- Operation Methods:
 - Manual Lever or Winder
 - Electric Actuator
- Finishing Options:
 - Powder Coated
 - Natural Anodised
 - Other special finishes available upon request
- Internal mesh options available



Performance

- Engineer Certified AS/NZS 1170; AS/NZS 1664; AS 4055; AS 4100; AS 2047

Want to know more?

Ask us for a [Coolite Louvre Datasheet](#) or ask our design team for advice.



www.ambps.com.au

(07) 3271 2877

Scan for more information



AUSTRALIAN
**GLASS &
WINDOW**
ASSOCIATION
MEMBER